

INDUSTRIAL KEYBOARD & KEYPAD INDUSTRIAL TOUCHPAD & TRACKBALL

Professional Manufacturer & Integrated Solution Provider

ABOUT US -

SZ Kehang Technology Development Co., Ltd. is a professional and leading manufacturer engaged in the R&D, manufacture, marketing and after-sale service of a wide range of innovative and rugged input devices for financial, manufacturing, medical care and other automation industries.

Our main products

- Industrial Keyboard
- Industrial Keypad
- Industrial Touchpad
- Industrial Trackball

The products are strictly according to IP65(some are IP67)/CE/ROHS/FCC regulations and requirements.



Company/Office









ABOUT US -

Our Team

History



2017

Receiving the certifications of <u>6</u> Utility Model Patents for trackball mouse, Keyboard touch software, etc.



Rapid development.

Domestic Market: increase 30% sales amount than 2015. Oversea Market team bigger and bigger.



2015

Our company brand"CNKHTECH" registered successfully.



2014

Oversea market to North Europe and Oceania and new products extended to other materials like plastic, silicone rubber mouse.

2012

2011

Fund in Shenzhen, China.

Mainly for Chinese Market.

Besides servicing for China Mobile & Public Library, and comprehensive manufacturing and other industries



Got CE, FCC, RoHS,IP67 certificates. These help us to work for oversea markets.

2013



Industrial Keyboard









Mechanical Data	
Key Travel	0.45mm - 2.0mm
Switch Life	> 1 million of per key
Operation System	WINDOWS98/ME/2000/2003/XP/Vista/Linux,U
	nix,Mac OSX,iOS, Android
Electrical Data	
Supply Voltage	5.0V DC ± 5%
Current Rating	Appr. 30mA
EMC Standard	Council EMC directive 2004/108/EC
EN55022	2006+A2:2010
EN55024	1998+A1:2001+A2:2003
Lifespan	> 5 years
Environmental Adapta	bility
Operating temperature	-20°C to +60°C
Storage temperature	-30°C to +70°C
Operating RH	20-95%
Atmospheric pressure	60-106Kpa.
Reliability	
Compliant Standard	RoHS , CE and FCC
Protection Level	IP65(front panel)
Vandal resistant	IK10
Key Lifespan	>10 million actuation
MTBF	>50000H
MTTR	<30min
Warranty	
Warranty Service	1 year



Industrial Keypad

Mechanical Data		
Key Travel	0.45mm - 2.0mm	
Switch Life	> 1 million of per key	
Operation System	WINDOWS98/ME/2000/2003/XP/Vista/Linux,Unix,	
	Mac OSX,iOS, Android	
Electrical Data		
Supply Voltage	5.0V DC ± 5%	
Current Rating	Appr. 30mA	
EMC Standard	Council EMC directive 2004/108/EC	
EN55022	2006+A2:2010	
EN55024	1998+A1:2001+A2:2003	
Lifespan	> 5 years	
Environmental Adaptability		
Operating temperature	-20°C to +60°C	
Storage temperature	-30°C to +70°C	
Operating RH	20-95%	
Atmospheric pressure	60-106Kpa.	
Reliability		
Compliant Standard	RoHS , CE and FCC	
Protection Level	IP65(front panel)	
Vandal resistant	IK10	
Key Lifespan	>10 million actuation	
MTBF	>50000H	
MTTR	<30min	
Warranty		
Warranty Service	1 year	











Industrial Touchpad

Mechanical Data	
Touchpad Lifespan	> 1 million times
Operation System	WINDOWS98/ME/2000/2003/XP/Vista/Linux,Unix,
	Mac OSX,iOS, Android
Electrical Data	
Supply Voltage	5.0V DC ± 10%
Work Current	4.0mA(Normal)
X/Y Position Sensing	1000points/inch(40points/mm)
Resolution	
X/Y Position Reporting	Relative
Tracking Speed	Max. 1016m/second
Static Release	1.5 KV(Front panel)
EMC Standard	EN55022(B)
Environmental Adaptability	
Operating temperature	-10°C to +55°C
Storage temperature	-20°C to +65°C
Operating RH	10-95%
Atmospheric pressure	60-106Kpa.
Reliability	
Compliant Standard	RoHS , CE and FCC
Protection Level	IP65(front panel)
Touchpad Lifespan	>10 million actuation
MTBF	>50000H
MTTR	<30min
Warranty	
Warranty Service	1 year











Industrial Trackball









Mechanical Data		
Key Travel	0.45mm - 2.0mm	
Switch Life	> 10 million of per key	
Trackball lifespan	> 10 million revolutions	
Operation System	WINDOWS98/ME/2000/2003/XP/Vista/Linux,U	
	nix,Mac OSX,iOS, Android	
Electrical Data	·	
Supply Voltage	5.0V DC ± 5%	
Work Current	Appr. 10mA	
EMC Standard	EN55022(B)	
Lifespan	> 5 years	
Environmental Adaptability		
Operating temperature	-20°C to +60°C	
Storage temperature	-40°C to +80°C	
Operating RH	20-95%	
Atmospheric pressure	60-106Kpa.	
Reliability	·	
Compliant Standard	RoHS , CE and FCC	
Protection Level	IP65(front panel)	
Vandal resistant	IK10	
Key Lifespan	>10 million actuation	
MTBF	>50000H	
MTTR	<30min	
Warranty		
Warranty Service	1 year	



ADVANTAGES -

Products are strictly according to IP65 regulations and some of our products meet IP67.

We provide:

- Prossional R&D team to make sure good service for you;
- Fast and suitable solution provied for you
- ➤ ONLY 1-2 weeks production lead time from confirming design for the development to finish products to save time and so that you have enough time to launch your projects
- Rigid QC system
- ➤ High quality assurance to let you know that we have confidence to our products quality
- Customized item with MOQ in 1 set only
- OEM and ODM are acceptable.
- Provide 1 year warranty of our products for you.



APPLICATION -

We support our customer for R&D and providing suitable and reliable products in many industries.

And our products are using in access applications and others widely.



Pubilc Safety and Service





Marine





Industrial





Oil and Gas



- Transportation
- Medical Area
- Military
- Etc.

R&D AND PRODUCTION-

COMPONENTS SUPPLIERS





R&D AND PRODUCTION LINES -







CERTIFICATIONS -

RoHS



FCC



Coffee-T Electronics Technology Co., Limited. FC Verification of Conformity The device, as described harrentle, was teven pursuant to applicable but procedure. and compiles with the requirements of ECC Part15 Subpart B Rabin All measurement sensitived in this report was conducted with ANSTON-E-7881. American National Standard for Methods of Moseumeness of Badle Notes Statement lives Law-Voltage (Secrited and Electronic Systematics for the stage of 9 kHz to 49 GHz. Shanzhan Kehang Technology Development Co., Ltd. Competentive building, Education North Road Na All Campine Industry Cree, Pingell Town, Longgoog District of Statistics, China Inturationers: Strengton Kehang Technology Development Co., Ltd. Comprehensive holding, Edwards North Road No SECtion; including Zoos, Pingel Town, Language District of Woodson, Clinia PRE Metal Industrial Reyboard SHOW-OR KINESESTE, WHEITHOW WHEITHOUTE, WHERE MIL ELECTION STATES AND ADDRESS OF THE MALESTINE AND ADDRESS. EDISONAL REGIONAL REGIONARY, RESPUBBLISHED BY MINNAMES, MARKING MARKING, MINNESS, MARKETT, STATE SERVICE AND ADDRESS OF A PARTY AND ADDRESS OF A PARTY OF A P REFERENCES, REFERENCES, REPORTERS, REPORTERS, AND ARRANGE AND ARRA All calcids stars again conta diagram, just with it filmed input signal. ports, All test performance vir. E31409-162 Labourry Name Compact CLECTHORGES TECHNOLOGY CO., 2019 PCC Reprinter Number 763686 The results to this report an applicable only to the applicant tested This most shall not be re-pindeced except in full wildout the writen approval of

CE



IP67

DECLARATION of Contomby



Improvince Do: 0716/30/2015
pplicate

| Benisher Rahang Rubinosigs Deminument Co., Lib.
| Addresse | Comprehends Instituting Enresides Note: Board Intil Googles Instituting |
| Product | Sittle Industrial and Williamy Inspiration Colors
| Board No. | OH. 628 478, ENRES - GR. ENASIS-158

Progress | 1960 Tradework | AA

The submitted decounts have been surfactly be with the restor percount and found in compliance with the following Standardy

BC 40028/1009-3/7/1005

The tests were performed in committing about most the final results again, only to the particular sample reason and to the specific tests carried out. The cartificate applies specifically to the sample investigated in our test reference surface any.

The IP maintings can be afficied at the product after proporation of recessary rectinical.

The IP makings can be afficied on the product after preporation of recess documentation.





CERTIFICATIONS -

Utility Model Patents



Computer Software Copyright Registration Certificate



END -

Contact us and welcome to our company for a visit!

We would be a reliable supplier and partner for you!











86-134 8069 4264





